

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 05.14.2019

Page 1 of 16

**Revision date:** 02.08.2024

### Fonic Wash Low pH All Colors

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Fonic Wash Low pH All Colors

**Product code:** C-1170

##### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Presoak

**Uses Advised Against:** NA

**Reasons Why Uses Advised Against:** Not determined or not applicable.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

Heiden Industries

1200 Veterans Blvd.

Kenner, LA. 70062

8008784913

TODD@HEIDENIND.COM

##### Emergency Telephone Number:

###### North America

CHEMTREC

800-424-9300 (24 hours)

#### SECTION 2: Hazard(s) Identification

##### GHS Classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Carcinogenicity, category 1A

##### Label elements

###### Hazard Pictograms:



**Signal Word:** Danger

##### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H350 May cause cancer.

##### Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 2 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

P202 Do not handle until all safety precautions have been read and understood

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P405 Store locked up

P501 It is the responsibility of the waste generator to characterize all waste material according to regulatory entities.

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7664-38-2	Orthophosphoric Acid	1-85
CAS Number: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivatives	0.9-50
CAS Number: Proprietary	Cationic/Nonionic Surfactant Blend	1-10
CAS Number: 111-76-2	2-Butoxyethanol	<10
CAS Number: 1341-49-7	Ammonium hydrogendifluoride	1-5
CAS Number: 1300-72-7	Sodium Xylenesulfonate	1-10
CAS Number: 7664-93-9	Sulfuric acid	0.001-5
CAS Number: 68648-87-3	Benzene, C10-16-alkyl derivs	0.001-5
CAS Number: 107-21-1	Ethane-1,2-diol	<0.009

**Additional Information:** None

### SECTION 4: First Aid Measures

#### Description of First Aid Measures

##### General Notes:

Not determined or not applicable.

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 3 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

symptoms develop or persist, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

#### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

#### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).

### Immediate Medical Attention and Special Treatment

#### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

#### Notes for the Doctor:

Not determined or not applicable.

### SECTION 5: Firefighting Measures

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 4 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

#### Extinguishing Media

##### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable Extinguishing Media:

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental Release Measures

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

#### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and Storage

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 5 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

### SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Cationic/Nonionic Surfactant Blend	Proprietary	TWA: 10 mg/m <sup>3</sup> (Aerosol)
ACGIH	Ammonium hydrogendifluoride	1341-49-7	8-Hour TWA: 2.5 mg/m <sup>3</sup> (Fluorides, as F)
	Sulfuric acid	7664-93-9	8-Hour TWA: 0.2 mg/m <sup>3</sup> (thoracic fraction)
	2-Butoxyethanol	111-76-2	8-Hour TWA: 20 ppm
	Orthophosphoric Acid	7664-38-2	8-Hour TWA: 1 mg/m <sup>3</sup>
	Orthophosphoric Acid	7664-38-2	15-Minute STEL: 3 mg/m <sup>3</sup>
	Ethane-1,2-diol	107-21-1	8-Hour TWA: 25 ppm (vapor fraction)
	Ethane-1,2-diol	107-21-1	15-Minute STEL: 50 ppm (vapor fraction)
	Ethane-1,2-diol	107-21-1	15-Minute STEL: 10 mg/m <sup>3</sup> (aerosol only, inhalable fraction)
NIOSH	Ammonium hydrogendifluoride	1341-49-7	REL-TWA: 2.5 mg/m <sup>3</sup> (Fluorides, solid inorganic, as F [up to 10 hr])
	Ammonium hydrogendifluoride	1341-49-7	IDLH: 250 mg/m <sup>3</sup> (Fluorides, solid, inorganic, as F)

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 6 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Sulfuric acid	7664-93-9	REL-TWA: 1 mg/m <sup>3</sup> (10 hr)
	Sulfuric acid	7664-93-9	IDLH: 15 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	IDLH: 700 ppm
	2-Butoxyethanol	111-76-2	REL-TWA: 24 mg/m <sup>3</sup> (5 ppm [up to 10 hr])
	Orthophosphoric Acid	7664-38-2	REL-TWA: 1 mg/m <sup>3</sup> (up to 10 hr)
	Orthophosphoric Acid	7664-38-2	15-Minute STEL: 3 mg/m <sup>3</sup>
	Orthophosphoric Acid	7664-38-2	IDLH: 1000 mg/m <sup>3</sup>
OSHA	Ammonium hydrogendifluoride	1341-49-7	8-Hour TWA-PEL: 2.5 mg/m <sup>3</sup> (Fluorides, as F)
	Sulfuric acid	7664-93-9	8-Hour TWA-PEL: 1 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 240 mg/m <sup>3</sup> (50 ppm)
	Orthophosphoric Acid	7664-38-2	8-Hour TWA-PEL: 1 mg/m <sup>3</sup> (OSHA Table Z-1 limits)
	Orthophosphoric Acid	7664-38-2	TWA: 1 mg/m <sup>3</sup> (OSHA Table Z-1-A)
	Orthophosphoric Acid	7664-38-2	STEL: 3 mg/m <sup>3</sup> (OSHA Table Z-1-A)
United States(California)	Orthophosphoric Acid	7664-38-2	8-Hour TWA-PEL: 1 mg/m <sup>3</sup>
	Orthophosphoric Acid	7664-38-2	15-Minute STEL: 3 mg/m <sup>3</sup>
	Ammonium hydrogendifluoride	1341-49-7	8-Hour TWA-PEL: 2.5 mg/m <sup>3</sup> (Fluorides, as F)
	Sulfuric acid	7664-93-9	8-Hour TWA-PEL: 0.1 mg/m <sup>3</sup>
	Sulfuric acid	7664-93-9	15-Minute STEL: 3 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 97 mg/m <sup>3</sup> (20 ppm)
	Ethane-1,2-diol	107-21-1	Ceiling Limit: 100 mg/m <sup>3</sup> (40 ppm)
United States	2-Butoxyethanol	111-76-2	8-Hour TWA: 120 mg/m <sup>3</sup> (25 ppm [U.S. State, Tennessee])

### Biological Limit Values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	Ammonium hydrogendifluoride	1341-49-7	Fluoride	Urine	Prior to shift	2 mg/L
	Ammonium hydrogendifluoride	1341-49-7	Fluoride	Urine	End of shift	3 mg/L
	2-Butoxyethanol	111-76-2	Butoxyacetic acid (with hydrolysis)	Creatinine in Urine	End of shift	200 mg/g

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 7 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal Protection Equipment

##### Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection.

Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

##### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance	Liquid
Odor	Std.
Odor threshold	Not determined or not available.
pH	2-3
Melting point/freezing point	Not determined or not available.



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 8 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical Stability:

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

None known.

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Route	Result
Ammonium hydrogendifluoride	oral	LD50 Rat: 130 mg/kg
Benzenesulfonic acid, C10-16-alkyl derivatives	inhalation	LC50 Rat: >1.9 mg/L (4 h [aerosol])
	Dermal ATE	LD50 Rabbit: 1100 mg/kg
	Oral ATE	LD50 Rat: 500 mg/kg



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 9 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

Name	Route	Result
2-Butoxyethanol	Dermal ATE	LD50 Rabbit: 1100 mg/kg
	Oral ATE	LD50 Rat: 1200 mg/kg
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [Vapours])
Orthophosphoric Acid	inhalation	LC50 Rat: 422.25 mg/L (4 hr [aerosol])
	oral	LD50 Rat: 1530 mg/kg
	dermal	LD50 Rabbit: 2740 mg/kg
Sulfuric acid	oral	LD50 Rat: 2140 mg/kg
Ethane-1,2-diol	dermal	LD50 Mouse: > 3500 mg/kg
	Oral ATE	LD50 Rat: 500 mg/kg (Converted acute toxicity point estimate)
	inhalation	LC50 Rat: >2.5 mg/L (6 hr [Aerosol])

### Skin Corrosion/Irritation

#### Assessment:

Causes severe skin burns and eye damage.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Orthophosphoric Acid	Causes severe skin burns.
Ammonium hydrogendifluoride	Causes severe skin burns.
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes severe skins burns.
Sulfuric acid	Causes severe skin burns.
2-Butoxyethanol	Causes skin irritation.

### Serious Eye Damage/Irritation

#### Assessment:

Causes serious eye damage.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Orthophosphoric Acid	Causes serious eye damage.
Ammonium hydrogendifluoride	Causes serious eye damage.
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes serious eye damage.
Sulfuric acid	Causes serious eye damage.
2-Butoxyethanol	Causes serious eye irritation.
Sodium Xylenesulfonate	Causes serious eye irritation.

### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 10 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

**Substance Data:** No data available.

#### Carcinogenicity

**Assessment:**

May cause cancer.

**Product Data:** No data available.

**Substance Data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Orthophosphoric Acid	Not Applicable
Ammonium hydrogendifluoride	Group 3
Benzenesulfonic acid, C10-16-alkyl derivatives	Not Applicable
Sulfuric acid	Group 1
2-Butoxyethanol	Group 3
Sodium Xylenesulfonate	Not Applicable
Ethane-1,2-diol	Not Applicable
Benzene, C10-16-alkyl derivs	Not Applicable

#### National Toxicology Program (NTP):

Name	Classification
Orthophosphoric Acid	Not Applicable
Ammonium hydrogendifluoride	Not Applicable
Benzenesulfonic acid, C10-16-alkyl derivatives	Not Applicable
Sulfuric acid	Known to be human carcinogens
2-Butoxyethanol	Not Applicable
Sodium Xylenesulfonate	Not Applicable
Ethane-1,2-diol	Not Applicable
Benzene, C10-16-alkyl derivs	Not Applicable

**OSHA Carcinogens:** Not applicable

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 11 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

#### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Sulfuric acid	Repeated or prolonged inhalation may damage the lungs. Risk of tooth erosion upon repeated or prolonged exposure to an aerosol of this substance.
Ethane-1,2-diol	May cause damage to Kidney through prolonged or repeated oral exposure.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Information on Likely Routes of Exposure:

No data available.

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

**Other Information:**

No data available.

### SECTION 12: Ecological Information

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
2-Butoxyethanol	Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility])
	Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: 623 mg/L (72 hr [biomass])
Orthophosphoric Acid	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [immobilization])
	Aquatic Plants EC50 Desmodesmus subspicatus: > 100 mg/L (72 hr [growth rate])
	Fish LC50 Oryzias latipes: 100 mg/L (96 hr)
Ammonium hydrogendifluoride	Fish LC50 Pimephales promelas: 0.75 - 3.4 mg/L (96 hr)
	Aquatic Invertebrates LC50 Daphnia magna: 101 mg/L (48 hr [read-across substance])
Sulfuric acid	Aquatic Plants EC50 Algae: >100 mg/L (72 hr [growth rate])
	Fish LC50 Lepomis macrochirus: >16 - <28 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [mobility])

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 12 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

Name	Result
Ethane-1,2-diol	Aquatic Plants EC50 Raphidocelis subcapitata: 6500 - 13,000 mg/L (96 hr [growth rate])
	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr)
	Fish LC50 Pimephales promelas: 72,860 mg/L (96 hr)
Benzenesulfonic acid, C10-16-alkyl derivatives	Aquatic Invertebrates EC50 Daphnia magna: >1000 mg/L (48hr [mobility] Read-across)
	Aquatic Plants EC50 Raphidocelis subcapitata: >1000 mg/L (72 hr [growth rate] Read-across)

### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Result
2-Butoxyethanol	Fish NOEC Danio rerio: > 100 mg/L (21 d [markers for endocrine disruptive effects])
	Aquatic Invertebrates NOEC Daphnia magna: 100 mg/L (21 d [reproduction])
Ethane-1,2-diol	Fish NOEC Menidia peninsulae: > 40 mg/L (28 d [mortality])
	Aquatic Invertebrates NOEC Daphnia magna: > 15,000 mg/L (21 d [reproduction])

### Persistence and Degradability

**Product Data:** No data available.

#### Substance Data:

Name	Result
Benzenesulfonic acid, C10-16-alkyl derivatives	Under test conditions no biodegradation observed.
Ethane-1,2-diol	The substance is Readily biodegradable. 90-100% degradation in water, measured by DOC removal, after 10 days.
Orthophosphoric Acid	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.
2-Butoxyethanol	The substance is readily biodegradable. 90.4% degradation, measured by CO2 evolution, after 28 days.

### Bioaccumulative Potential

**Product Data:** No data available.

#### Substance Data:

Name	Result
Ammonium hydrogendifluoride	The limited data indicate that fluoride biomagnification in the aquatic environment is of little significance. Fluoride accumulates in aquatic organisms predominantly in the exoskeleton of crustacea and in the skeleton of fish; no accumulation was reported for edible tissue.
2-Butoxyethanol	The substance is not expected to bioaccumulate (log Kow = 0.83).
Ethane-1,2-diol	The substance is not expected to bioaccumulate (log Pow = -1.93).
Orthophosphoric Acid	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.

### Mobility in Soil

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 13 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

**Product Data:** No data available.

#### Substance Data:

Name	Result
Ammonium hydrogendifluoride	The behaviour of fluoride in water is dependent on pH and mineral content. Fluoride is deposited to sediment as insoluble complexes and is essentially immobile in soil due to its incorporation into insoluble complexes.
Ethane-1,2-diol	Adsorption to the solid soil phase is not expected.
Orthophosphoric Acid	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.
Sulfuric acid	The substance is highly mobile then it has a low potential for adsorption to soil and sediment [Koc at 20 °C: 1].

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

Ammonium hydrogendifluoride	The substance is not PBT.
Sulfuric acid	The PBT assessment does not apply to inorganic substances.
2-Butoxyethanol	The substance is not PBT.
Ethane-1,2-diol	The substance is not PBT.
Orthophosphoric Acid	PBT assessment does not apply to inorganic compounds such as this substance.

##### vPvB assessment:

Ammonium hydrogendifluoride	The substance is not vPvB.
Sulfuric acid	The vPvB assessment does not apply to inorganic substances.
2-Butoxyethanol	The substance is not vPvB.
Ethane-1,2-diol	The substance is not vPvB.
Orthophosphoric Acid	vPvB assessment does not apply to inorganic compounds such as this substance.

**Other Adverse Effects:** No data available.

### SECTION 13: Disposal Considerations

#### Disposal Methods:

It is the responsibility of the waste generator to characterize all waste material according to regulatory entities.

#### Contaminated packages:

Not determined or not applicable.

### SECTION 14: Transport Information

#### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	1760
-----------	------

## Safety Data Sheet


According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 14 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

UN Proper Shipping Name	Corrosive Liquid N.O.S., (Phosphoric Acid, Alkylsulfonic Acid)
UN Transport Hazard Class(es)	8 
Packing Group	II
Environmental Hazards	None
Special Precautions for User	None

### International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

### SARA Section 302 Extremely Hazardous Substances:

7664-93-9	Sulfuric acid	Listed
-----------	---------------	--------

### SARA Section 313 Toxic Chemicals:

7664-93-9	Sulfuric acid	Listed
111-76-2	2-Butoxyethanol	Listed
107-21-1	Ethane-1,2-diol	Listed

### CERCLA:

7664-38-2	Orthophosphoric Acid	Listed	5000 lbs
1341-49-7	Ammonium hydrogendifluoride	Listed	100 lbs
7664-93-9	Sulfuric acid	Listed	1000 lbs
111-76-2	2-Butoxyethanol	Listed	N/A
107-21-1	Ethane-1,2-diol	Listed	5000 lbs

### RCRA:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.14.2019

Page 15 of 16

Revision date: 02.08.2024

### Fonic Wash Low pH All Colors

1341-49-7	Ammonium hydrogendifluoride	Listed	F039
-----------	-----------------------------	--------	------

#### Section 112(r) of the Clean Air Act (CAA):

7664-93-9	Sulfuric acid	Listed
107-21-1	Ethane-1,2-diol	Listed

#### Massachusetts Right to Know:

7664-38-2	Orthophosphoric Acid	Listed
1341-49-7	Ammonium hydrogendifluoride	Listed
7664-93-9	Sulfuric acid	Listed
111-76-2	2-Butoxyethanol	Listed
107-21-1	Ethane-1,2-diol	Listed

#### New Jersey Right to Know:

7664-38-2	Orthophosphoric Acid	Listed
1341-49-7	Ammonium hydrogendifluoride	Listed
7664-93-9	Sulfuric acid	Listed
111-76-2	2-Butoxyethanol	Listed
107-21-1	Ethane-1,2-diol	Listed

#### New York Right to Know:

7664-38-2	Orthophosphoric Acid	Listed
1341-49-7	Ammonium hydrogendifluoride	Listed
7664-93-9	Sulfuric acid	Listed
111-76-2	2-Butoxyethanol	Listed
107-21-1	Ethane-1,2-diol	Listed

#### Pennsylvania Right to Know:

7664-38-2	Orthophosphoric Acid	Listed
1341-49-7	Ammonium hydrogendifluoride	Listed
7664-93-9	Sulfuric acid	Listed
111-76-2	2-Butoxyethanol	Listed
107-21-1	Ethane-1,2-diol	Listed

#### California Proposition 65:

**⚠️ WARNING:** This product can expose you to Strong inorganic acid mists containing sulfuric acid; which is known to the State of California to cause cancer; and Ethane-1,2-diol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Additional information:** Not determined.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 05.14.2019

Page 16 of 16

**Revision date:** 02.08.2024

**Fonic Wash Low pH All Colors**

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial Preparation Date:** 05.14.2019

**Revision date:** 02.08.2024

**End of Safety Data Sheet**